REPORT

OF THE

HEALTH DEPARTMENT

OF

THE PANAMA CANAL

FOR


OCTOBER, NOVEMBER, DECEMBER
1918

Gift of the Panama Canal Museum

ARTHUR T. McCORMACK

Lieutenant-Colonel, Medical Reserve Corps, United States Army Chief Health Officer

THE PANAMA CANAL PRESS.
MOUNT HOPE, C. 7,
1919



REPORT

OF THE

HEALTH DEPARTMENT

OF

THE PANAMA CANAL

FOR

OCTOBER, NOVEMBER, DECEMBER
. 1918

ARTHUR T. McCORMACK

Lieutenant-Colonel, Medical Reserve Corps, United States Army
Chief Health Officer

THE PANAMA CANAL PRESS MOUNT HOPE, C. 2 1919



ে প্রাক্তির বিশ্ববিদ্যালয় হৈ প্রা পুরুত্ব বিদ্যালয় বিশ্ববিদ্যালয় মুকুন ই

- (< -)

CONTENTS.

	Page.
etter of transmittal	5
7ital statistics:	
Employees	5
Residents of the Canal Zone	6
Residents of the city of Panama	7
Residents of the city of Colon	7
statistical tables:	
I. Discharges, deaths, and noneffective rates for employees	9
II. Deaths of employees by cause, color, age, and length of residence on Isthmus	10
III. Deaths of residents of the cities of Panama, Colon, and the Canal Zone	12
IV. Deaths of civil population (employees and nonemployees), by cause, sex,	
color, age, and place of residence.	14
IVA Deaths of nonresidents.	20
V. Deaths by nationality or nativity	22 23
VII. Births and birth rates in the Canal Zone and the cities of Panama and	Z
VII. Dirths and birth rates in the Canal Zone and the cities of ranama and	24
Colon	24
Colon	2
IX. Deaths of infants by cause, sex, color, age, and place of residence	20
X. Births classified by birthplace of parents	28
XI. Discharges and deaths in the hospitals of The Panama Canal, by cause,	20
color, etc	30
XII. Consolidated hospital report	4
XIII. Consolidated dispensary report.	4
XIV. Consolidated admission report, hospitals and quarters	49
XV. Number of employees constantly sick in hospitals and quarters	49
XVI. Average number of days in hospital or quarters for each admission of	
sick employee	50
XVII. Number of days hospital treatment furnished various classes of patients.	50
XVIII. Ward laboratory reports	5
XIX. Surgical operations performed	5
XX. Report of operations—eve and ear departments	5
XXI. Report of X-ray department, Ancon Hospital	5
XXII. Santo Tomas Hospital	5
XXIII. Corozal Hospital	5
XXIV. Contagious and infectious diseases reported	60
XXV. Routine sanitary work performed in Panama, Colon, and the Canal	_
Zone	6
XXVI. Consolidated report of quarantine transactions	6
XXVII. Immigration report	6
XXVIII. Personnel report of Health Department	6

LETTER OF TRANSMITTAL

THE PANAMA CANAL,
HEALTH DEPARTMENT,
Balboa Heights, C. Z., April 29, 1919

Col. Chester Harding, Governor, The Panama Canal, Balboa Heights, C. Z.

SIR: I have the honor to submit the following report of the operations of the health department for the quarter, October to December, 1918.

An annual report for the calendar year is also being submitted, which will cover all items of special interest; no general remarks are submitted for this report.

Respectfully,

H. C. FISHER, Chief Health Officer.

VITAL STATISTICS.

EMPLOYEES.

The following statistics are based upon the average number of names appearing on the pay rolls of The Panama Canal and the Panama Railroad Company for the three months ending December 31, 1918, which was 25,122, as compared with 23,417 for the preceding three months, and 29,440 for the corresponding three months of last year.

Admissions to hospitals and quarters numbered 2,588, giving an admission rate of 412.08, as compared with 452.12 for the preceding three months, and 391.03 for the corresponding three months of

The constantly noneffective rate was 11.55, as compared with a rate of 11.53, for the preceding three months, and 10.32 for the corresponding three months of last year.

All morbidity and mortality rates are computed as equivalent annual per 1,000.

Deaths from all causes numbered 39; of these, 35 were from disease, giving a rate of 6.20 from disease alone, as compared with a rate of 7.32 for the preceding three months and 5.30 for the corre-

sponding three months of last year.

Diseases causing the highest admission rates to hospitals, in the order of their numerical importance, were (1) influenza, (2) malaria, (3) venereal diseases, (4) tonsilitis and (5) diseases of the eyes and their annexa. These five diseases caused 41 per cent of all admissions to hospitals, influenza alone causing 15 per cent and malaria 12 per cent of total admissions.

The admission rate for malaria, hospitals and quarters, for the quarter year ending December 31, was 18.31, as compared with a rate of 15.36 for the preceding three months, and 20.52 for the corresponding three months of last year. The constantly noneffective rate from malaria for the quarter year ending December 31, was 1.08, as compared with a rate of 1.92 for the preceding three months and

0.70 for the corresponding three months of last year.

By race.—For disease only, the admission rate to hospitals and the death rate for white employees were 226.20 and 1.80, respectively, as compared with 261.80 and zero for the preceding three months and 267.28 and 4.19 for the corresponding three months of last year. For black employees, for disease only, the admission rate to hospitals and the death rate were 152.84 and 4.84, respectively, as compared with 107.04 and 8.96 for the preceding three months and 117.89 and 5.52 for the corresponding three months of last year. For American employees the admission rate to hospitals from disease only was 202.96, as compared with 265.44 for the preceding three months and 228.57 for the corresponding three months of last year.

The constantly noneffective rates were 16.10 for white and 10.58

for blacks.

The admission rate to hospitals and quarters for malaria was 9.92 for white and 20.08 for colored employees, as compared with 16.96 for white and 15.04 for colored employees for the preceding three months and 17.49 for white and 21.10 for colored employees for the corresponding three months of last year.

CANAL ZONE.

The civilian population of the Canal Zone, based on the police census, taken as of June 20-30, 1918, is 21,707. From this population, 49 deaths occurred during the three months' period ending December 31, 44 of which were from disease, giving a rate of 8.12 from disease alone, as compared with a rate of 10.48 for the preceding three months and 9.32 for the corresponding three months of last year.

Of the deaths from disease, 34 per cent occurred among children under 5 years of age, as compared with 39 per cent for the preceding

three months.

Two hundred and three births were reported for the three months' period ending December 31, 1918, giving a birth rate of 37.40. Of these births 77 were white and 126 colored.

Ten deaths occurred among children under 1 year of age, 2 white and 8 colored, giving an infant mortality rate, based on the number of births reported, of 26 for white and 64 for colored children, with a general average of 49.26 for 1,000 births.

Of the total births reported, 8 per cent were stillbirths.

PANAMA CITY.

The population of the city, as shown by the health department census of June, 1917, is 61,369; in this population are included approximately 7,000 employees of The Panama Canal. From this population 336 deaths occurred during the three months' period ending December 31, 1918, 327 of which were from disease, giving a rate of 21.32 from disease alone, as compared with a rate of 23.12 for the preceding three months and 29.07 for the corresponding period of three months of last year.

Of the total deaths from disease, 44 per cent occurred among children under 5 years of age, as compared with 39 per cent for the

preceding three months.

The principal causes of death, as compared with the preceding three months, were as follows:

	July- September, 1918.	October- December, 1918.
Tuberculosis (various organs). Pneumonia (broncho and lobar). Diarrhea and enteritis Nephritis (acute and chronic). Organic heart disease.	57 31 17	67 38 35 23 17

Six hundred and five births were reported during the three months' period ending December 31, giving a rate of 39.44. One hundred and twenty-one deaths occurred among children under 1 year of age, giving an infant mortality rate, based on the number of births reported, of 200.

Of the total births reported, 7 per cent were stillbirths.

COLON.

The population of Colon, as shown by the health department census of June, 1917, is 26,076; in this population are included approximately 6,000 employees of The Panama Canal. From this population, 152 deaths occurred during the three months' period ending December 31, 1918, 146 of which were from disease, giving a rate of 22.40 from disease alone, as compared with a rate of 23.76 for the preceding three months, and 26.69 for the corresponding three months of last year.

Of the total deaths from disease, 32 per cent occurred among children under 5 years of age, as compared with 42 per cent for the preceding three months.

The principal causes of death as compared with the preceding

three months were as follows:

	July- September, 1918.	October- December, 1918.
Tuberculosis (various organs). Pneumonia (broncho and lobar). Nephritis (acute and chronic). Diarrhea and enteritis.	30 10	29 . 18 . 12
Bronchitis (acute and chronic)		11

Two hundred and sixteen births were reported during the three months' period ending December 31, giving a rate of 33.12. Thirty-six deaths occurred among children under 1 year of age, giving an infant mortality rate based on the number of births reported, of 166.66.

Of the total births reported, 7 per cent were stillbirths.

TABLE 1 —DISCHARGES, DEATHS, AND NONEFFECTIVE RATES FOR EMPLOYEES,

ABSOLUTE NUMBERS.

	ees.	Dischar fron	ges and a hospit		1	Deaths.	Noneffective from sickness.		
	Number of employees.	Total.	Disease.	External causes.	Total.	Disease.	External causes.	Days treated.	Constantly noneffective.
Fourth quarter, 1918: WhiteColored	4,421 20,701	277 759	251 664	26 95	5 34	5 30	4	6,407 19,703	71.19 218.92
Total Third quarter, 1918; White Colored	25,122 4,247 19,170	298	915 278 556	20 125	39	35 43	<u>4</u>	26,110 6,718 17,575	74.64
TotalFourth quarter, 1917: WhiteColored.	23,417 4,801 25,018	365	834 319 727	145 46 235	7	43 5 34	2 2 10	7,134 20,805	77.56
Total	29,819		1,046		51	39	12		

PROPORTIONATE NUMBERS, 1

Fourth quarter, 1918:								
· White			227.08					 16.10
Colored	20,701	146.64	128.48	18.56	6.56	5.80	.76	 10.58
Total	25,122	164.96	145.68	19.28	6.20	5.56	.64	 11.55
Third quarter, 1918:								
White			261.83					 17.57
Colored	19,170	142.10	116.01	26.08	9.39	8.97	.42	 10.19
Total	23,417	167.23	142.46	24.77	7.69	7.34	.34	 11.53
Fourth quarter, 1917:								
White	4,801	304.08	256.76	38.32			1.68	 16.15
Colored	25,018	153.80	116.24	37.56	7.04	5.44	1.60	 9.04
Total	29,819	178.00	140.44	37.68	6.84	5.24	1.60	 10.19

Annual average per 1,000 employees.

TABLE II.—CAUSES OF DEATHS OF EMPLOYEES BY COLOR, AGE, AND LENGTH

	Co	lor.			Age (in ye	ears).	
Cause of death.	-						
	w.	В	15-20	21-25	26-30	31–35	36-40
Apoplexy Aneurysm Circulatory system, other diseases of Cancer Heart, organic diseases of Liver, cirrhosis of Malaria Meningitis, simple Meningitis, simple Meningitis, pneumococcus Mephritis, acute Nephritis, acute Nephritis, erebrospinal Meningitis, pneumococcus Peritonitis Paralysis, general Pulmonary congestion Preumonia, lobar Preumonia, broneho Ltomach, ulcer of	1 1 1 1 1	2 1 3 1 1 1 2 1 1 2 1 4		1		1	
Syphilis		5		1	4		
Drowning, accidental		1 3	1	1		1	
Total	5	34	2	5	9	3	(
0	Col	or.			Age (in ye	ars).	
Cause of death.	w.	В.	41-45	16-50	51-55 56	-65 66-75	Un- know
Apoplexy. Aneurysm Jirculatory system, other diseases of . Jancer Heart, organic diseases of . Jiver, cirrhosis of . Malaria Meningitis, simple. Meningitis, oreebrospinal Meningitis, pneumococcus.	1	2 2 1 3 1	1 .	1 1	1	1	

	W.	B.	41-45	46-50	51-55	56-65	66-75	Un- known.
Apoplexy		1						
Aneurysm				· · · · · i				1
Circulatory system, other diseases of		2	1	1				-
Cancer.		1 1	-					
Heart, organic diseases of		3		1	1			
Liver, cirrhosis of		i		Î	1			
Malaria		i		-				
Meningitis, simple	1	2	1					
'Meningitis, cerebrospinal		1	l					
Meringitis, pneumococcus								
Nephritis, acute		ī						
Nephritis, chronic		2						
Periton tis		1						
Paralysis, general			1					
Pulmonary congestion	1							
Pneumonia, lobar.	i	4						1
Pneumonia, broncho	1	l						
Stomach, ulcer of			1					
Syphilis		1						
Tuberculosis		5						
	1							
External causes.								
Drowning, accidental		1						
Traumatism, by crushing		3	1					
Total	5	34	5	4	2	1		2

Table II.—CAUSES OF DEATHS OF EMPLOYEES BY COLOR, AGE, AND LENGTH OF RESIDENCE ON ISTHMUS—Continued.

O6 J41	Col	or.		Leng	th of	reside	nce on	Isthm	us (in	years)	
Cause of death.	w.	В.	Un- der 1		2-3	3-4	4-5	5-6	6-7	7-8	8-10
ApoplexyAneurysm		1 2									
Circulatory system, other		- 1									
diseases of		2					• • • • •				• • • • • •
Heart, organic diseases of	1	3									
Liver, cirrhosis of		1				•1					
Malaria Meningitis, simple	1	1 2	• • • • •						• • • • •		
Meningitis, cerebrospinal		1									
Meningitis, pneumococcus.		1 1									
Nephritis, acute Nephritis, chronic		2						1			·····i
Peritonitis		1									
Paralysis, general Pulmonary congestion Pneumonia, lobar	1	• • • •	 <i>.</i>		• • • • •	• • • •			• • • • •		• • • • • •
Pneumonia, lobar							· · i				1
Pheumonia, proncho	1	:-	1		• • • •						
Stomach, ulcer of,											
Tuberculosis, pulmonary								1	1		2
External causes.											
Drowning, accidental Traumatism by crushing		1 3		:			····i		1	···.i	
Total		34	1	_			2	2	3	1-	. 5
		1 ~		1			of rocio	lence o	n Ict	hmue	
Cause of death.		Co	lor.		Tier	igui c		years).		imus	
Cause of death.		w.	B.	10-12	12-15	16-20	0 20 -3	0 30-4	0 Life	Un-	To-
									_	know	n tal.
Apoplexy			1	····i	1		• • • • •				$\frac{1}{2}$
Aneurysm			2	1	1				.		. 2
of			2							2	2
Cancer			1 3		····i		. 1	1		2	. 1
Heart, organic diseases of Liver, cirrhosis of										1	. 1
Malaria			1	1		1					. 1
Meningitis, simple Meningitis, cerebrospinal			2	1				. 1		1	3
Meningitis, pneumococcus		1::::	1						. 1		. 1
Nephritis, acute			1								. 1
Nephritis, chronic			2		• • • • •				• • • • •	1	
Paralysis, general		1									. 1
Pulmonary congestion		1								1	. 4
Pneumonia, lobar Pneumonia, broncho		1	4	1							
Stomach, ulcer of			1		1						. 1
Syphilis	• • • • •		1 5	····i						1	1 5
External causes.				•							
Drowning, accidental		1	1							1	1
7 1 1 1:			3			1					. 3
Traumatism by crushing			0								

 $\left| \begin{array}{c|c} \dots & 3 \\ \hline 5 & 34 \end{array} \right|$

TABLE III.—DEATHS OF RESIDENTS OF THE CITIES OF PANAMA, COLON, AND THE CANAL ZONE.

Place.	Popula-		Deaths.		Annual rate per 1,000 population.				
Place.	tion.	Total. Disease		External causes.	Total.	Disease.	External causes.		
Fourth quarter, 1918: Panama Colon Canal Zone	61,369 26,078 -21,707	336 152 49	327 146 44	9 6 5	21.88 23.32 9.04	21.36 22.36 8.12	0.60 .92 .92		
Total	109,154	537	517	20	19.68	18.96	.72		
Third quarter, 1918: Panama Colon Canal Zone Total	61,369 26,078 21,707	361 160 63 584	355 155 57 567	6 5 6	23.52 24.52 11.60 21.40	23.12 23.76 10.48	0.40 .76 1.08		
Fourth quarter, 1917: Panama Colon Canal Zone	61,369 26,078 24,038	457 180 66	446 174 56	11 6 10	29.78 27.61 10.98	29.07 26.69 9.32	0.72 .92 1.67		
Total	111,485	703	676	27	25.22	24.26	.96		

*Exclusive of military population.



Table IV.—DEATHS OF CIVIL POPULATION (EMPLOYEES PLACE OF

	Se	x.	(Color			Age (ir	years).
Cause of death.	М.	F.	w.	В.	Υ.	Un- der 1 yr.	1-4	5-10	11-20
General diseases.									
telapsing fever		1		1					Ì
Ialaria	. 1	ļ		1			}		1
Estivoautumnal	1			1	1				
Tertian		2		2			2	1	
Aeasles		1		1 2		1			
Dysentery and croup		1		2		1			
nfluenza	2	4	2	4 2		3			
eprosy Purulent infection and septicemia	1 2	2	1 -			2			
epticemia	1 1	1		1	::::				
etanus	'l ī	1		1		i	1	1	
Pellagra		2		1					
Beriberi	. 1	1			···	1			
Tuberculosis of the lungs	. 54	37	3	86	2		1 2	1	'
Suberculous meningitis	. 2	_	li	1			2		
Suberculosis of other organs			. .		::::			1	
Disseminated tuberculosis	3	2		1 5			3	1	l.:
Lickets		1		1		1		. :	
yphilis:		1							
Tertiary	. 3	1	1	3					
Period not stated Cancer and other malignant tumors of	. 1			1		1			
the stomach and liver	1	1	l	1 2	1	}			1
Cancer and other malignant tumors o	- 1	1 *		~					1
the female genital organs		5		5		1			
Cancer and other malignant tumors o	f	1		١.		Į			1
other organs and of organs not specific	ed 2	2	1	4					
Diabetes		1	1	···ż		1;			
eukemia. Alcoholism (acute or chronic)	$\begin{array}{c c} \cdot & 1 \\ 1 \end{array}$	1		1		1			
Encephalitis	i i]	i	1				
Simple meningitis	. 2	3	1	4		1	1		
Cerebrospinal fever	3	1		4				2	
neumococcus meningitis	. 1		1	1					
Cerebral hemorrhage, apoplexy	2	3	1	4					
General paralysis of the insane	. 1	. i	1	···i		'''i'	1		*****
Tumor of the brain		i							
Pericarditis	: 2	1		2					
Acute endocarditis Organic disease of the heart	. 1	3		4	···i·	1	2		
Organic disease of the heart	16	11	2	24	1	1		. 1	
Angina Pectoris				1					
Diseases of the arteries, atheroma, aneurysm, etc			1	2					
Aneurysm		2	li	4	1			1	
Arteriosclerosis	2	5	î	6					
Embolism and thrombosis	2			2					
Hemorrhage; other diseases of the	1 2		1		1		1		
circulatory system	. 2	9	····	18			8	i	
Acute bronchitis		3				9	1	1. 1	1
Broncho-pneumonia	29	15	3	41		2 25	1 8		
Pneumonia, unqualified	4	7	4	6	i	4	1 2		
Lobar pneumonia	13	8	2	19		2			
Pleurisy	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$			2					

AND NONEMPLOYEES), BY CAUSE, SEX, COLOR, AGE, AND RESIDENCE.

Age (in yea	rs)—Contin	ued.			Place of r	esidence.	
1-40 41-50 51	-60 ,61-75	76–100	(?)	Pan- ama.	Colon.	Canal Zone.	Total.
		1					
1				1			
1				$\frac{1}{2}$	 		
1				1			
1	i			2 1 1 4 3 2	1	1	
1		1		3 2			
1					·····i	1	
1 1				1	i		
23 11	4 2			61 2	25	5	1
				2	1 1	1	
					2		
				4	1		
2				1	1	2	
4				1			
1	1			. 1	1		
1 2	2		-	1	. 2	2	
						_	
1	1 1	. 1		1 1			
1				1	1 1		
i				1			
2				4 3	1 1		
3 1				3	1 2		
i						1	
				1			
1				1 2 4 17			
4 5	4 3	1		17	9	1	
1				1			
3 1 1 1			·····i	i	3 4 3		
3 1 1 . 1	3	. 2		4	3		
1 1				2			
1 1				11	1 7 4		
2				1 30	4		
4 2 1 2 1	2			1 7	11 2 7	3 2 6	1
6 1	3		1	8	7	6	

TABLE IV.—DEATHS OF CIVIL POPULATION (EMPLOYEES AND RESIDENCE—

	Se	x.		Color			Age (in	ı years	3).
Cause of death.	М.	F.	W.	В.	Y.	Un- der 1 yr.	1-4	5-10	11-20
General diseases .—Continued.									
Pulmonary congestion, pulmonary					٠.				
apoplexy	2	2	1	3		1			
Sangrene of the lungs	1								
Ilcer of the stomach	1	1		2					1
Other diseases of the stomach (cancer	,								
excepted)	1		;	1		1			
Acute gastritis	2	1	1 1	2					
Acute indigestion	21					3 37			
Diarrhea and enteritis (under 2 years)	1			45		31	0		
nkylostomiasis	i			1				1	· · · · i
Hernia, intestinal obstructions	i			3		i			
Intestinal obstructions	î								
Cirrhosis of the liver	4				2				
Other diseases of the liver	î	1		2		1			
Abscess of liver (unqualified)	1								1
Cholecystitis	i			î					
Simple peritonitis (nonpuerperal)	5	3							
Other diseases of the digestive system		_		Ŭ					
(cancer and tuberculosis excepted)		1		1					
Acute nephritis	5	6	1	10		2			
Bright's disease (chronic nephritis)	19	7	1	25		1			
Other diseases of the kidney and annexa	1	1	1	1		1			
		1		1			1		
Other diseases of the uterus		1		1					
Hyperemesis gravidarum				1					
Puerperal hemorrhage		2		2		1			
Puerperal septicemia		3							
Puerperal insanity	; .	1	1						
jangrene	1			1					
Carbuncle									
Pemphigus contagiosus						1	····i		
Congenital malformations (stillbirth not		1		1			1		,.
included)	1	1		2		2			
Newborn child.	2	2							
Congenital debility, icterus, and scleroma	2								1
Premature birth	3	3							
Congenital debility	5	3	1	7		1 0			
Malnutrition	12	12		24		19	4		1
Other causes peculiar to early infancy (including various consequences of							-		
labor)	3	1 2		4		4			
Senility				2					
Suicide by poisoning	1		1			:			
Suicide by hanging or strangulation	1			1					1
Suicide by cutting or piercing instru- ments	1			1					
Conflagration	1	1		1		1			
			1	1 1				1	1

NONEMPLOYEES), BY CAUSE, SEX, COLOR, AGE, AND PLACE OF Continued.

~	Ag	ge (in ye	ars)—Co	ntinued.			P	lace of res	sidence.			
21-30	31-40	41-50	51-60	61-75	76–100	(1)	Pan- ama.	Colon.	Canal Zone.	Total.		
	i	1	2				3	1				
 	1	1						2				
							1					
 		1					1	2	1			
	1	·····i					34 1	9 2 1	2	4		
							2	ī				
· · · · · · · · · · · · · · · · · · ·			2				2	1				
		4					3 2	1				
							1					
1 2	5	1					1 5	2	i			
		1					.0	1				
3 4	1 3	1 8	1 5	3 3	1	1	4 19	6	1			
		ı					1		1	1		
· · i							1		· · · · · · i			
. 1								1				
1 2		1					2 2 1		·····i			
. 1		i					1					
							1					
							1		·····i			
							1	1				
							3		1			
			1				1 2	1 3	1			
							3 1 2 8 15	7	2			
							13	•				
							2	2				
• • • • •	1		,.		2		2		1			
							1			-		
1									. 1			
2							·····i		1	1		

MR 67633-3

TABLE IV.—DEATHS OF CIVIL POPULATION (EMPLOYEES AND RESIDENCE—

	Se	x.	•	Color		Age (in years).					
Cause of death.	М.	F.	w.	В.	Y.	Un- der 1 yr.	1-4	5-10	11-20		
General diseases.—Continued.											
Traumatism by fall	1 1 2	1	1 1	2 5 1 1 2 			1 , 1 2		1		
TotalStillbirths		235 34	38 10	492 65	7	167	49	6	25		
Grand total	343	269	48	557	7	167	49	6	25		

NONEMPLOYEES), BY CAUSE, SEX, COLOR, AGE, AND PLACE OF Continued.

	A	kge (in ye	ears)—Co	ontinued.		Pla				
21-30	30 31-40 41		51-60	61-75	76-100	(?)	Pan- ama.	Colon.	Canal Zone.	Total.
2	1 1 1	J		1			2 1 1 2 1 2 1	2 2	1	2 5 1 1 2 1 1 6
92	78	62	30	:	9	3	336 43	152 15	49 17	537 75
92	78	62	. 30	16	9	3	379	167	66	612

Cause of death.	Se	ex.	Co	lor.	Under
Cause of degra.	M.	F.	w.	В.	year.
Cancer Pneumonia, unqualified Pneumonia, lobar Pneumonia, lobar Pneumonia, broncho Pyemia Arteriosclerosis Tuberculosis, pulmonary Malaria Typhoid fever Nephritis, chronic Influenza Dysentery Erysipelas Gangrene Peritonitis Organic heart disease Epilepsy Syphilis Syphilis Cirrhosis of the liver Drowning, accidental Traumatism by firearms	1 5 1 1 2	1 1 1 1	1 1 9 2 1 1 1 2 4 1	3 1 5 4 8 1 2 1 1 1 1 1 1 1 1 1	1
Total	54	11	27	38	1

² Includes deaths of all nonresidents, passengers off incoming ships, etc. Deaths of nonresidents are not taken up in the statistical charts relating to Panama, Colon.

OF NONRESIDENTS.

Total.	Age (in years).														
LULAL	+75	61-75	51-60	41-50	31-40	21-30	11-20	5-10	1-4						
		2	1	1		1	:		,						
1	····i		1	1	2	9 2	$\frac{1}{2}$	1							
		1.		ii	1 1	5									
				2		2 1									
		·····i		2 1		2									
				1											
		1	- 3	1	2	· · · · · · · · · · · · · · · · · · ·									
			1		······································										
	1	6	7	11	11	24	3								

and the Canal Zone.

22

TABLE V.—DEATHS BY NATIONALITY OR NATIVITY.

	Emp	loyees.	Nonen	nployees.	То	Grand	
Nationality.	Male.	Female.	Male.	Female.	Male.	Female.	total.
Antigua	2		2	2	4	2	6
Barbados	6		41	39	47	39	86
Bermuda				2		2	2
Chile			1		1		1
China			11	1	11	1	12
Colombia	3		15	8 2	18	8 2	26 3
Costa Rica			1	2	1	Z	5
Demerara			2	2	2		4
Dominica				2		2 2	2
Ecuador			1	ĩ	1	ī	2 2
Fortune Island	1		. 2		3	l	3
France			3	3	3	3	l' 6
Grenada	. 1		6	5	7	5	12
Guadeloupe	. 1			1	1	1	2
Greece				2		2	2 2 2
Guiana, British			1	1	1	1	2
Ireland			1		1		1
Italy			4	1	4	1	100
Jamaica	15	1	51	53	66	54	120
Martinique			10	4	10	4	14
Mexico			1		1		4
Montserrat			1	2	1		3
Nicaragua	3		80	79	83	79	162
Peru	. [3	1	3	1	4
Scotland			ĭ	Ī	i		i
Spain			4	1	4	1	. 5
St. Vincent's			2		4		4
St. Lucia			4	6	5	6	11
St. Kitts				1		1	1
St. Thomas				1		1	1
Santo Domingo				1		1	1
Trinidad			2	3	2	3	5
United States	. 3		7	4	10	4 3	14
Venezuela			1	3	1	3	4
Unknown			3	1	3	1	. 4
Totals	. 38	1	266	232	304	233	537

TABLE VI.—STATISTICS RE AMERICAN EMPLOYEES AND THEIR FAMILIES.

	Annual death rate per 1,000 population.
White employees from the United States: Disease. External causes.	3.24
Total/	3.24
White women and children from the United States: Disease External causes.	
Total	3.80
White employees from the United States and their families: Disease. External causes.	3.50
Total	3.56

TABLE VII.—BIRTHS AND BIRTH RATES IN THE CANAL ZONE AND THE CITIES OF PANAMA AND COLON.

	Popula-		Births.		Rate per 1,000 population.				
	tion.	Total.	Alive.	Still- born.	Total.	Alive.	Still- born.		
Fourth quarter, 1918:									
Panama	61,369	648	605	43	42.24	39.44	2.80		
Colon	26,078	231	216	15	35.44	33.12	2.28		
Canal Zone	*21,707	220	203	17	40.52	37.40	3.12		
Total	109,154	1,099	1,024	75	40.28	37.52	2.76		
Third quarter, 1918:									
Panama	61,369	567	517	50	36.96	33.68	3.24		
Colon	26,078	206	184	22	31.60	28.20	3.36		
Canal Zone	221,707	197	182	15	36.28	33.52	2.76		
Total	109,154	970	883	87	35.52	32.36	31.88		
Fourth quarter, 1917:									
Panama	61,369	825	770	55	53.77	50.19	3.58		
Colon	26,078	246	234	12	37.73	35.89	1.84		
Canal Zone	*24,038	219	208	11	36.44	34.61	1.83		
Total	111,485	1,290	1,212	78	46.28	43.48	2.80		

Exclusive of military population.

TABLE VIII.—INFANT MORTALITY RATES IN THE CANAL ZONE AND THE CITIES OF PANAMA AND COLON.

	Popula-		Births.		Deaths among children	Death rate per
An Am As 5 (1)	tion.	Male.	Fe- male.	Total.	under 1 year of age.	1,000 births.
Fourth quarter, 1918:				0.0		
Panama		313	292	605	121	200.00
Colon		126	80	216	36	166.66
Canal Zone	121,707	102	101	203	10	49.26
Total	109,154	541	483	1,024	167	163:08
Third quarter, 1918:						
Panama	61,369	282	235	517	99	191.49
Colon		89	95	184	41	222.83
Canal Zone	121,707	89	93	182	14	76.92
Total	109,154	460	423	883	154	174.41
Fourth quarter, 1917:						
Panama	61,369	384	386	770	187	242.86
Colon		107	127	234	62	264.95
Canal Zone	124,038	105	103	208	16	76.92
Total	111,485	596	616	1,212	265	218.65

Exclusive of military population.

MR 67633-4

TABLE IX.-DEATHS OF INFANTS BY CAUSE,

	Se	х.	Col	or.	-1	—1 week.
Cause of death.	М.	F.	w.	В.	week.	+1 month.
Measles. Diphtheria Influenza Purulent infection and septicemia Tetanus Beriberi Tuberculosis, pulmonary Tuberculosis, meningitis Tuberculosis, abdominal Rickets Syphilis Leuchæmia Meningitis, simple Epilepsy Acute endocarditis Organic heart disease Hemorrhage; other diseases of the circulatory system Bronchitis, acute Bronchitis, ebronic Pneumonia, broncho Pneumonia, unqualified Pneumonia, unqualified. Pulmonary congestion Intestinal obstruction, hernia. Gastritis. Acute indigestion Diarrhea and enteritis. Nephritis. Diseases of the kidney and annexa Congestion of the liver Carbunele. Pemphigus, contagiosus. Congenital malformations. Newborn child. Congenital debility, icterus, and selerema Premature birth. Congenital debility Malnutrition Other causes peculiar to early infancy Conflagration External violence Cause not specified or ill-defined.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	11321 11222211111119224422111122433667 1941114	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1

Infant mortality rate, based on number of births reported for the quarter (deaths under 1 Percentage of deaths under 1 year of age to total deaths for 3 months ending December 31,

SEX, COLOR, AGE, AND PLACE OF RESIDENCE.

				Age	(by r	nonth	ıs).					Place of r	esidence.	
1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9–10	10-11	11-12	Panama	Colon.	Canal Zone.	Total.
1	1		i	1	1	1	2	2	1	1	1 1 3 2 1 2 1 1 1 1 1 1 1 1 1 6	1 2 2 1		1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3	5 1 2 2 2	1 6 1	3	3	4	4	4	2 1 3 1	1 I	1 1 3	22 4 1 1 30 1	3 1 2 7	1	25 4 2 1 1 1 3 37 37 3 1
1 1 1 1 1	1	5		1 1	1	1	2	 	4	1 1	1 1 1 3 1 2 8 14 2	1 1 3 4 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 4 3 6 8 19 4 1 1
12 year of 1918.	20 of age	16 per 1	,000	9 births)	1	10	11	8	9	121 200.00 36	36 166.66 24	10 49.26 20	167 163.09 31

TABLE X.-BIRTHS, CLASSIFIED

							Birt	hpla	ce o	f mo	ther	:						
Birthplace of father.	Antigua.	Antilles.	Barbados.	Canada.	Chile.	Colombia.	China.	Costa Rica.	Demarara.	Dominica.	Denmark.	England.	France.	Grenada.	Guadeloupe.	Holland.	Ireland.	Italy.
			٠٠.;						;									
Antigua	9	• • •	1					,	1					;	• • •	• • •		
Antilles	• • •	• • •	170				: .							3		• • •		
Canada	٠٠.		170	٠٠.						1				ర	,	• • • •		
Thile					i													
China							2											
Colombia			1			7	١										1	
				١				1										::
Cuba			!				,											
Curacao D. W. I			!								1	١						
Demarara									2									
Denmark	• • •			1								• • •						
									٠.,									
England											1			• • •				
Germany	٠٠.										i		2		• • •			
Greece											1					1		
Grenada										i				18				i
			1												2			
Guiana, British			2								1							1
Guatemala								,										
						,												
reland																		
taly			₅															
amaica	2	1	5			1			2					1		• • •		
apan	٠						• • •							• • •	• • •	• • •		
Montserrat				• • •									: : :	•				
Vicaragua										,								
Vova Scotia																		
Vova Scotia		· · · · · · · · · · · · · · · · · · ·	2			5		2										
eru						1												١
orto Rico		,				1												
Russia															!			
			2							٠.,			٠٠٠.	• • •	1	• • •		٠.
t. Lucia	- 1						• • •		• • •		• • •					• • • • •	1	٠.
										• • •	• • • •				,			•
pain						2		: : :				1						
										1	,			1				
				1		3						i					1	
enezuela																		
Others																		
																		-
Total	12	3	184	2	1	20	2	3	. 5	3	3	2	2	24	3	1	1	

BY BIRTHPLACE OF PARENTS.

							Bir	thpl:	ice o	of m	othe	r—Co	ontin	ied.						
Jamaica.	Tonon	Japan.	Martinique.	Montserrat.	Norway.	. Nicaragua.	Panama.	Peru.	Porto Rico.	Russia.	St. Lucia.	St. Kitts.	St. Vincent.	Spain.	Sweden.	Trinidad	United States.	Venezuela.	Others.	Total.
	1	2	22 8	7		1	1 2 1 2 2 4 4 2 6 6 6 1 2 2 1 9 1 3 3 4 4 1 1 1 1 5 5 5 5		99	1	3 3 2 1 1 3 1 1 8 3 3	i	33	11		1	1 3 3 3 48 48	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5	1 18 4 4 232 2 1 9 35 3 5 5 4 4 1 2 2 2 6 3 6 6 1 2 2 3 2 2 2 1 5 100 1 1 1 1 2 3 9 9 2 1 2 1 8 6 5 7 7
2	59	2	13	7	1	3	337	2	9	1	23	3	7	9	2	5	56	4	7	1024

${\bf TABLE~XI.-DISCHARGES~AND~DEATHS~IN~THE~HOSPITALS~OF~THE~DECEMBER,}$

General diseases.						Em	ploy	ees.					
Diseases. Black. Signary Black. Signary Black. Signary Black. Signary Black. Signary Signary			D	ischa	rges			_		Dea	ths.		
M. F. M. F	Diagona		Whi	te.				_	Wh	ite.			
General diseases.	Diseases.	Americans.		Europeans.		Bla	ck.	Amorioons	Americans.	Turonoono	Edi opcano.	Bla	ck.
Typhoid fever		M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.
Paratyphoid fever	General diseases.												
Relapsing fever Malaria Malari	hoid fever				! 								
Malaria 1 49 1 Malarial fever: 1 3 1 3 49 1 Estivoautumal 3 1 3 49 1 Crinia 1 1 13 Quartan 1 3 17 Clinical 1 1 Cinical 4	typhoid fever												
Malarial fever: 3 1 3 49 1 Estivoantumal 3 1 3 49 1 Tortian 1 1 13 1 Quartan 1 1 3 17 7 Clinical 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 2 1 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 1 2 3 3 1 1 2 2 2 </td <td>aria</td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td>1:::</td> <td></td> <td></td> <td></td>	aria			1				1		1:::			
Tortian	arial fever:							1					
Quartan												1	
Undetermined						1.5			:				
Clinical 1		î		3		17		1:::		1:::	111		1:
Imalipos:	Clinical												
Vaccinia	Cachexia					4							
		1	1							1			
Searlet fever Vhooping cough Vhoop		1				1							1.
Vhooping cough Vhoo					1:::	1				1:::			
Influenza	oping cough												1.
Dysentery:													1.
Entamebic. 1 Unclassified		43	15	8	1	82	2						ļ.,
Unclassified Deprovation Department Deprovation Department Depar		1											
2		1			1				1:::	1			1:
Thickenpox						1			1				1:
fumps 1 Filariasis 1 'urulent infection and septicemia 1 1 2 'yemia 1 2 letanus 1 8 'ellagra 1 3 Beriberi 1 7 2 'uberculosis of the lungs 1 1 7 2 'uberculosis meningitis 1 1 7 2 Nebominal tuberculosis 1 1 1 Ott's disease 1 1 1 Tuberculosis of bones and joints 1 1 Urberculosis of thelymph glands 1 1 Disseminated tuberculosis 1 1 Syphilis: 9 1											.:.		
Varulent infection and septicemia 1 1 2													1.
Purulent infection and septicemia. 1 2 'yemia.						1							1.
Yemia		1	ii		1:::	2				1			
'ellagra 1 Seriberi 1 Cuberculosis of the lungs 1 I berculosis meningitis 2 Ibdominal tuberculosis 1 Ott's disease 1 Cuberculosis of bones and joints 1 Cuberculosis of thelymph glands 1 Disseminated tuberculosis 1 Syphilis: 9	mia									1			1.
Seriberi Unberculosis of the lungs 1 1 7 2 2 2 2 2 2 2 2 2													
Tuberculosis of the lungs				1						1.2.			
Puberculous meningitis. Abdominal tuberculosis. 1 out's disease. Puberculosis of bones and joints. Puberculosis of the lymph glands. Disseminated tuberculosis. Syphilis:	erculosis of the lungs	· · · · i				7							1
Abdominal tuberculosis. 1 Out's disease. 1 Puberculosis of bones and joints. 1 Duberculosis of the lymph glands. 1 Disseminated tuberculosis. 1 Syphilis: 1				1		1 '		1:::				-	1:
Fuberculosis of bones and joints. Cuberculosis of the lymph glands. 1 Disseminated tuberculosis. Syphilis:	ominal tuberculosis					1							1.
Puberculosis of the lymph glands. 1 Insseminated tuberculosis	's disease							i				1	
Disseminated tuberculosis.	erculosis of bones and joints												
Syphilis:	erculosis of the tymph glands										1		
rrunary 9	Primary				l	9		l	l				į.,

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.

			None	emplo	yee	3.						Nom	resid	lents					
	Disc	harge	es.			I	Deatl	hs.		_ D	ischa	rges.			Dea	iths.			
,	White				N	hite	e.											ses.	
Soldiers.	Others.		Bla	ck.	Soldiers.	041	Others,	Bl	ack.	Wh	ite.	Bla	ck.	Wh	ite.	Blac	k.	Total discharges	Total deaths.
M.	М.	F.	М.	F.	М.	M.	F.	М.	F.	М.	F.	М.	F.	м.:	F.	М.	F.		
	1		2							1 1								4 1 1 4	`1
65 29 1 6	5 8	4 4 i	2	34	3	1				2 2		12	12					151 63 2 31 9	4
20			1 3		: ::	3	i	i		66		1		1				1 6 2 4 5 530	9
	1 1 1 1 2 1	1	2 2 2 3 1 1 1 1		3	1	1										1	4 2 4 2 8 2 2 8 1 1 1 1 2 2 2 8 1 1 1 1 2 1 2	2 1 18 2 2
1	4				: ::		: ::	:::			1					l		14 17	

TABLE XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE DECEMBER.

					En	ploy	ees.					10
		I	Discha	rges	3.				De	aths.		
Diseases.		Whi	te.					WŁ	ite.		1	
	Americana		Europeans.		Bla	ck.		Americans.		Europeans.	Bla	ack.
	М.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М.	F.
General diseases—Continued.												
Syphilis:												
Tertiary			2				• • • •					
Period not stated										0		
Gonococcus infection	l											
GonorrheaGonorrheal arthritis	1				14							
Gonorrheal bubo					1				1:::			
Gonorrhea! orchitis and epididymitis								j				
Gonorrheal ophthalmia					1							
Soft chancre					13							
Cancer and other malignant tumors												
of the baccal cavity												
Cancer and other malignant tumors of	١.				İ							1
the stomach and liver	1								1			1
of the female genital organs			l.:							1		
Cancer and other malignant tumors												
of other organs and of organs not specified					1	-						
Other tumors (tumors of the female					1							1
genital organs excepted)		1			2							
Acute articular rheumatism								1				20
Diabetes Exophthalmic goitre											1	
Anemia, secondary, cause not deter-							1		1		1	
mined				· · ·								
Other general diseases	1;											
Alcoholism (acute or chronic). Alcoholism, acute. Alcoholism, pronic. Alcoholism, prophysic	1	1::::		1:::					1			
Alcoholism, chronic												
Alcoholic psychosis												
Diseases of the nervous system and of the organs of special sense.												
Simple meningitis												1
Cerebrospinal fever												1
Pneumococcus meningitis Locomotor ataxia								1			1.	
Lateral sclerosis								1			1	
Cerebral hemorrhage, apoplexy					2						1 :	2
				1	1			1	1	1	1	

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

			N	onem	ploy	vees.						Nor	rcsi	dent	s.				
	Di	schar	ges.			I	Deat	bs.	1	I	Discha	rges			Dea	aths.			
7	White).			V	Vhite	e.		5"							_		es.	
Soldiers.		Others.	Bla	ick.	Soldiers.	100	Others.	Bl	ack.	Wł	nite.	Bla	eck.	Wh	ite.	Blac	k.	Total discharges.	Total deaths.
M.	М.	F.	M.	F.	M.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.		
32	···;	1	8	13		1			1	6		1						109	2
6			····i	2						10								1 6 2 37	
i i	 1 1		1	1 3	:::					···· ···i							• • •	3 2 9 5	;
7 3				i	: 					2		1						23 4	
										2								3	1
• • • •	•	1		2					1									3	1
6			<u>i</u>															10 1	
# 1				1														1 1	
1 1	2 2 			 1						2								4 4 2 2 2	
			1							1								2	
2	i					 1 			· · · · i	2								5	1 2 3
				1				 		1					• • •			2 1 3	2

Table XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE $_{\parallel}$ DECEMBER,

					Er	aploy	rees.					
		D	ischa	rges					Dea	ths.		-
Diseases.		Whi	te.					Whi				
•	Americana		Europeans.		Bla	ck.	Americans.		Hirroneans		Bla	ck.
	M.	F	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.
Diseases of the nervous system and of the organs of special sense.—Cont.												
General paralysis of the insane. Other forms of mental alienation. Dementia præcox. Epilepsy. Convulsions (nonpuerperal) (5 years and over). Hysteria. Neuralgia Neuralgia Neuralsia Other diseases of the nervous system. Neurasthenia. Diseases of the eyes and their annexa. Diseases of the eyes and their annexa. Diseases of the circulatory system. Organic diseases of the heart. Angina pectoris.	2 1	1 1	2		3 2 3 20 6				1			11
Diseases of the arteries, atheroma. aneurysm, etc	. 1				1 1 2 1 1 4 4 1							
Lymphadenitis (nonvenereal) Hemorrhage; other diseases of the circulatory system Diseases of the respiratory system.							:=				. 1	1
Diseases of the nasal fossæ Myiasis of hasal fossæ and sinuses Diseases of the larynx Laryngitis Diseases of the thyroid body Acute bronchitis Chronic bronchitis			:::									

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

			Non	empl	oyee	s.						No	nres	ident	s.				
	Disc	charg	es.			I	Deat!	hs.		D	ischa	rges.			De	aths.			
7	White				v	Vhit	е.											es.	
Soldiers.	Others		Bla	ck	Soldiere.	Othurs	Control of	Bl	ack.	Wh	ite.	Bla	ck.	Whi	te.	Blac	ek.	Total discharges.	Total deaths.
М.	М.	F.	М.	F.	M.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M .	F.		-
1 12 6 1	1 2 2	1 	3	5					1	2								1 21 14 4	
9 1 4 5 12 28 30	1 1 3 10	1 2 5 1 3	10 4	1 6 8						2 1 1 2 4	1	1 2						1 11 17 11 24 76 71	
. 4	1	1	1	3			:::		•	3	 			1				33 1	
									1									1 1 2 1	
10 22	1	2		3						3								10 24 1 26 1	
3	3 2	1	2					:::		1								11 18	
32 1 2 18		1 1 1 3	i	2 1						2 1								42 2 1 1 4 36	

${\tt Table~XI.--DISCHARGES~AND~DEATHS~IN~THE~HOSPITALS~OF~THE~DECEMBER}$

			•		Em	ploye	es.					
		I	Discha	rges	 i.				De	aths.		_
Diseases.		Whi	te.					Wh	ite.			_
Diseases.	Americans.		Europeans.		Bla	ck.	Americans.		Farroneans		Bla	ck.
	Ā		Ē				Ā			_		
	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	М.	F.
Diseases of the respiratory system.— Continued.												
Broncho-pneumonia Pneumonia (unqualified) Lobar pneumonia Pleurisy					2 3 1						5	
Pulmonary congestion, pulmonary apoplexy Asthma Pulmonary emphysema Abscess of lungs	i										1	
Diseases of the digestive system.												
Diseases of the mouth and annexa Diseases of the teeth and gums. Stomatitis Diseases of the pharynx Pharyngitis. Follicular tonsilitis Ulter of the stomach. Other diseases of the stomach (cancer					1 1 1 11 2						1	
excepted)	1				2 1							
years). Colitis (under 2 years). Diarrhea and enteritis (2 years and over). Colitis (2 years and over).	3		2		 1 5							
nkylostomiasis ntestinal parasites scariasis eniasis					4							
Appendicitis and typhilitis	7 2 3	1			 1 53			1::				
Intestinal obstruction	5	:	2		2						1	

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

-				Non	empl	oyee	s.						Non	resi	dent	s.				
ľ		Di	ischar	ges.			I	Deat	hs.		- 1	Discha	ırges			De	aths.			
1		Whit	e.			7	Vhit	e.											s;	
	Soldiers.	0.1	Officers.	Bla	ick.	Soldiers.	170	Offiers.	Bl	ack.	Wh	nite.	Bla	ek.	Wh	ite.	Blac	ck.	Total discharges.	Total deaths.
-	М.	М.	F	М.	F	M.	М.	F.	М.	F.	М.	F.	М.	F.	м.	F.	М.	F.	_	
	5 1 10 4	 1	1 2	2 1 6 4	3 1 3 5	10		 2 1	3	2	1 2 2				5				13 6 26 19	4 3 23 1
	11 11 1				i														1 13 1 1	1 1
	-6 4 2 2 62	1 1 3 1 21 1	2 2 1 2 19	2 1 1 11	3 4 13						1							::	11 14 7 9 5 154	1
	1 4 4 6	 1	 1		 5						1 2								7 4 6 17	
		2	1																4 2	2
	3 62 1 1 1 24 12 11	2 9 2 3	1 1 1 1 3 3	1 3	2 1 2 1 1				1	1	1 2 1 3		1						22 2 68 3 1 2 1 50 23 81	1
1	14		····i		2		:::								:::	::			26	···i

TABLE XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE DECEMBER,

					Er	nploy	ees.					
		1	Disch	rges	3.				De	aths.		
Diseases.		Wh	ite.					Wł	nite.			
,	Amorinom	Americans.	Europeans		Bla	ick.		Americans.	T. C.	ran obeans.	Bla	ck.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
				_						1		
Diseases of the digestive system— Continued.												
Constipation			1		4							
Cirrhosts of the liver. Stillary calculi. Other diseases of the liver. Cholecystitis.	1	1			_i							
Cholecystitis						1				 	 i	
Nonvenereal diseases of the genito- urinary system and annexa.			,									
Acute nephritis	<u>1</u>										1	
nexa Pyelo-nephrosis			1		1							
Calculi of the urinary passages	3											
Diseases of the bladder		₁	2						• • •			
Diseases of the urethra, urinary abscess,		1	2					• • •				.,,
etc Stricture of the urethra, nonvenereal					28 13							
Acute prostatitis												
Chronic prostatitis												
Hypertrophy of prostate Nonvenereal diseases of the male								• • •				
genital organs	1		1		9							
Uterine tumor (noncancerous)										• • •		
Other diseases of the uterus					!							
Cysts and other tumors of the ovary Salvingitis and other diseases of the						2	• • •			• • •		
female genital organs										• • •	• • •	
The puerperal state.												
Normal labor		i		:::				:::	:::	:::		

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

			Non	emple	yee	s.						Non	resio	lents	3.		-		
	Dis	char	ges.			I	Deat	hs.	ý	Г	Discha	rges			Dea	aths.			
,	White				,	Whit	e.											es.	
Soldiers.	Others		Bla	ick.	Soldiers.		Orners.	Bl	ack.	Wh	ite.	Bla	ck.	Wh	ite.	Bla	ck.	Total discharges.	Total deaths.
М.	М.	F.	М.	F.	М.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.		
4 2 1 2	1 2 1	2 1 1	1 1 1	2	1	1 		1 1			i			1			7.	14 3 2 2 9 3 1 3	2 1 2
i		1		1 5				1 2	1 1		/			1				3 17	. 2
 1 2	2	6 1 1 7	· · · · · i						i	i				i				12 4 4 3 16	i
1 3 1 1			1	3						1								33 16 1 1 1	
28	5 1	2 2 2 6 2 6		1 5 22								. 1						48 38 37 30 9 28	
		4		12														16	
		62		31										:::			: ::	93 15	

TABLE XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE DECEMBER,

. '					Er	nploy	ees.					
		()	Disch	arge	s.				De	aths		_
Diseases.		Wh	ite.				-	Wh	ite.			
	Amomona	Americans.	Europeans		Bla	ack.		Americans.	F	roncopeans.	Bla	ck.
	M.	F.	М.	F.	M.	F.	M.	F.	М.	F.	M.	F.
The puerperal state.—Continued.												
Extra-uterine pregnancy. Hyperemesis gravidarum. Abortion. Other accidents of labor. Puerperal septicemia. Puerperal albuminaria and convulsions Following childbirth (not otherwise defined). Puerperal insanity. Diseases of the skin and cellular tissue. Gangrene.												
Furuncle. Carbuncle. Acute abscess. Phlegmon and cellulitis. Trichophycosis. Scabies. Elephantiasis. Myiasis of skin. Dhobie itch. Ulcer of the skin. Impetigo contagiosa. Urticaria. Ingrowing nail. Other diseases of the skin and annexa.	1 2	1	i		5 1			1	i	1		· · · · · · · · · · · · · · · · · · ·
Diseases of the bones and of the organs of locomotion. Diseases of the bones (tuberculosis excepted)	2 1 3 1		1									

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

Nonresidents.	
Discharges. Deaths.	
. White. Black. White Black.	Total discharges. Total deaths.
	Total
M. F. M. F. M. F. F.	
i	1 3 25 16
	3
	44 24 1 1 20 5 9
. 1	10 2 1 1 19

$T_{\mathtt{AB1.E}}$ XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE DECEMBER,

		4			E	mplo	yees					
		1	Discha	arges	ı.	1			Dea	aths.		
Diseases.		Whi	te.					Wh	ite.			
	Americans		Europeans.		Bla	ck.	Amorioana	ALICA ICANIS.	Disconding.	ranobeans.	Blac	k.
_	М.	F.	M.	F.	М.	F.			М.	_	М.	F.
Malformations.												
Congenital malformations (stillbirth not included) Diseases of early infancy.	1	-			20							
Newborn child. Premature birth. Malnutrition. Other diseases peculiar to early infancy (including various consequences of labor).												
Old age.												
Affections produced by external causes. Suicide by poisoning Suicide by cutting or piercing instru-							. 1					
ments Poisoning by food. Other acute poisonings Conflagration Burns (conflagrations excepted). Traumatism by firearms.	1				1							
Traumatism by cutting or piercing instruments	1 8	3										i
Railroad traumatism. Traumatism by landslides. Injuries by animals. Effects of heat. Lightning. Lightning excepted.												1
Lightning (lightning excepted). Electricity (lightning excepted). Fractures (cause not specified). Dislocations. Sprains. Other external violence.		i			3	3	2					

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

			None	emplo	yees	3.				-		Non	resi	dent	s.				
	Dis	scharg	ges.	•]	Deat	hs.		I	Discha	ırges			Dea	aths.			
	White	e.			1	Whit	te							,			_	es.	
Soldiers.	Othora	· stamo	Bla	ick.	Soldiers.		Others.	Bl	ack.	Wh	ite.	Bla	ick.	Wh	ite	Blac	ck.	Total discharges.	Total deaths.
М.	м.	F.	м.	F.	М.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	м.	F.		
14	4		5	2								1	• • • •					47	
	35 1	30	15 1	14		1		2 2	4									94 1 4	1 2 6
			2					3										2	3
		1			•••													1	
17 1 1 1 1 7	i		4 3	1 1				1 1	· · · · · · · · · · · · · · · · · · ·	4								28 3 3 11 8	1 i
2 3 1 2 1	2	1 4	3 2 4	1 4		1 		 	1 1	1 9 1 1 2								43 41 10 12 2 2 1 1 1	3 1 2 1
1 2 13	2	 1	····i					i		···· ···· 3					::			1 7 60	i

TABLE XI.—DISCHARGES AND DEATHS IN THE HOSPITALS OF THE DECEMBER,

					Em	ploye	ees.					
		I	Discha	rges					Dea	aths.		-
Diseases.		Whi	te.					Wh	ite.			
	Americana	Americans.	Europeans.		Bla	ck.	Amorioana	Americans.	Timonoma	Tom obcome	Bla	ck.
	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	М.	F.
Ill-defined diseases.												
Cause of death not specified or ill- defined Infections of undetermined origin No disease Feigned disease					2 12	····i						
Grand total	175	38	54	2	716	12	3	1	2	2	28	3

PANAMA CANAL FOR THE MONTHS OF OCTOBER, NOVEMBER, AND 1918.—Continued.

		None	emplo	yee	8,					;	Non	esic	lents	3.				
Dis	charg	ges.			I	eath	ıs.		D	ischa	rges			Dea	ths.			
Vhite				V	Vhit	e.											arges.	ъ.
Othors	Others.	Bla	ck.	Soldiers. Others.					Wh	ite.	Bla	ck.	Wh	ite	Blac	k.	Total discha	Total deaths.
M.	F.	M.	F.	M.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.		
1 1 3	23	 6 1	1 11 1					1	1 2	i							2 14 77 3	1
	White	White. Value Valu	Discharges. White. Bla M. F. M.	Discharges. White. Black. M. F. M. F.	Discharges. White. Black. Supplement of the property of the	White	Discharges. Death White. Black. Supply Supp	Discharges. Deaths.	Discharges. Deaths.	Discharges. Deaths. Deaths.	Discharges. Deaths. Discharges. Disc	Discharges Deaths Discharges	Discharges. Deaths. Discharges.	Discharges. Deaths. Discharges.	Discharges. Deaths. Discharges. Discha	Discharges. Deaths. Discharges. Deaths.	Discharges. Deaths. Discharges. Deaths.	Discharges. Deaths. Discharges. Deaths.

TABLE XII.—CONSOLIDATED HOSPITAL REPORT. [A.=White Americans; F.=White foreigners; B.=Black.]

•		ing oct.		Ad	mitt	ed.		Die	ł.	Di	scha	rged.
	A.	F.	B.	A.	F.	В.	A.	F.	В.	A.	F.	В.
Ancon Hospital:												Ė
Employees	24 113	10	129				10		23			674
Panama pay cases			1			1.						
Other pay patients	27 3	24	75 39		226 12	375 160	5	10			202 12	359 168
Total	167	40	244	1,613	283	1,340	17	12	68	1,571	260	1,201
Corozal Hospital (insane):			==				==	==	-		-	
Employees	2	2	13			2						1
Soldiers	8	57	213	15		25	• • •	3	9	14		6
Other pay patients		5	3		2	3			2		4	2 2
Charity patients		10	67		3	6	• • • •	:::	1			2
Total	13	74	296	15	12	36	1	3	12	14	6	11
Grand total		114	540			1,376		15	80	1,585	266	1,212
Corozal Farm (cripples):		_	-					-	_		-	
Employees		9	48		_1	11					3	15
Chronic ward:												·
Charity patients			26			3	• • •					2
Nonresidents:									_		_	
Hospital		16 55			219 2			7			188	
Asylum											=	
Colon Hospital:					10						10	
Employees		1 2	11	44 97	13	69		:::	4	44 77	10	52
Panama pay cases		2	7		2	33			5		2	25
Other pay patients	11 3	5	18	97 16	89	96 17			3	83 1t	60	90
Charity patients				10		17				16		
Total	33	11	36	254	126	215	15		13	219	91	178
Palo Seco Leper Asylum:												
Panama pay cases		2				3			2			
Charity patients						3		1				
Total		3	70			6		1	2			
Grand total:	-		-		_				-		-	
Employees	29	22	201	216		886	3		27	215		742
Soldiers Panama pay cases	137	81	262	1,131	19	62	22	ç	16	1,097	15 4	31
Other pay patients	38	34	96			474	8	15		42	266	451
Charity patients	6	18	160	81	18	189		3	12		16	183
Nonresidents		71			221	,		10			191	
Total	240	000	700	1 000	049	1 011	33	31	0.			1,407

TABLE XII.—CONSOLIDATED HOSPITAL REPORT.—Continued.
[A.=White Americans; F.=White foreigners; B.=Black.]

		'rans errec			mai ing eml		A		number o	con-
	A.	F.	В	A.	F.	В.	A.	F.	В.	Total.
Ancon Hospital:			-	-						
Employees	13		11	23 103	9	225	224.33 144.36	105.66	141.85	174.84 144.36
Panama pay cases	١		6	41	36		39.95	32.78	.75	.75
Charity patients			7	12	2	14	10.37	2.22	66.63 32.82	$139.36 \\ 45.41$
Total	13		26	179	47	289	217.11	45.56	242.05	504.72
Corozal Hospital (insane): Employees		1							•	
Employees				1 9		14	1.03 9.87	2.00	12.60	15.63 9.87
Soldiers. Panama pay cases Other pay patients			1	3	59 3	222 2	3.00	57.63 4.95	214.35 2.89	274.98
Charity patients					13	70		12.29	68.95	7.84 81.24
Total			1	13		308	13.90	76.87	298.79	389.56
Grand total			27	192		597			540.84	894.28
Corozal Farm (cripples): Employees					7			9.35	44.97	54 32
Chronic ward: Charity patients			1			26			26.64	26.64
Nonresidents: Hospital. Asylum.					39 51					36.38 52.61
Colon Hospital:		1		1	===	-				
Employees		2) 1 7) 5								13.10
Panama pay cases		. 1	8		1	2		.37	3.10	3.47
Other pay patients	.		1			14				32.71 2.74
Total					1		1 -0	11.86	27.78	62.84
Palo Seco Leper Asylum:	-		-	-	222					
Panama pay cases								1.00		43.3° 30.0°
Total		-	-	-	2	-	-		-	73.4
Grand total:	-			===	-	-	-			
Employees		2	25	25					208.21	257.8
Panama pay cases				. 119 1 - 3		26	163.74		260.57	165.0 322.5
Other pay patients	. 1	3 2	3 13	3\ 50	1 47	7 6	48.78	46.39	84.74	179.9
Charity patients			2 1:	2 16	11	14:			158.35	186.1 88.9
	-	-	-	-	-	-	-	-		
Total	. 4	5 3	5 6.	213	1230	76	8 254.2	225.0	8 640.26	1,119.5

TABLE XIII.—CONSOLIDATED DISPENSARY REPORT.

EMPLOYEES TREATED IN QUARTERS.

:	ma ii O	le- ain- ng et.	Amit		Di	ed.	Di char			ns- red.	m: i D	Re- ain- ng ec.	D	ays los	st.
	w.	В.	w.	В.	w.	В.	W.	В.	w.	В.	w.	В.	w.	В.	Total
Ancon Balboa Pedro Miguel Gatun. Cristobal	1 6 2 9	···i	261 393 51 41 326	44			246 394 48 24 328	24	3 19	21		6	561 1,024 152 72 889	174	561 1,198 152 194 5,237
Total	18	44	1,072	457			1,040	411	33	41	17	49	2,698	4,644	7,342

Gamboa dispensary discontinued August 1, 1918.

ALL CASES TREATED BUT NOT EXCUSED.

	E	mployee	s.	Noi	nemploy	ees.		Total.	
	w.	В.	Total.	W.	В.	Total.	W.	В.	Total.
Ancon	2,184 12,795 4,812 1,110 4,095	6,403	17,654 11,215		3,015	12,886	22,666 9,015 2,449	7,874 10,704 2,820	30,540 19,719 5,269
Total	24,996	30,130	55,126	22,105	17,294	39,399	47,101	47,424	94,525

TABLE XIV.—CONSOLIDATED ADMISSION REPORT.

	White.	Black.	Total.
Admission to hospitals excluding Corozal farm and chronic ward. Admission of employees to quarters.	2,524 1,072	1,597 457	4,121 1,529
Total admissions to hospitals and quarters Less number of patients transferred between hospitals and from quarters to hospitals, whose admissions are dupli-	3,596	2,054	5,650
cated in the above figures	111	102	213
Net admissions to hospitals and quarters	3,485	1,952	5,437
EMPLOYEES.			
Employees admitted to hospitals	275 1,072	886 457	1,161 1,529
Total admissions of employees	1,347	1,343	* 2,690
in the above figures.	36	66	102
Net admissions of employees	1,311	1,277	2,588
Annual admission rate per thousand employees to hospitals and quarters.	1,186.16	246.76	412.08

 $\ensuremath{\mathsf{Table}}$ XV.—NUMBER OF EMPLOYEES CONSTANTLY SICK IN HOSPITALS AND QUARTERS.

	White.	Black.	Total.
Hospitals: Ancon Hospital.	36.02	154.45	190.47
Colon Hospital	4.31	8.79	13.10
Total	40.33	163.24	203.57
Quarters:	6.23		6.23
Balboa.	11.38	1.93	13.31
Pedro Miguel	1.69		1.69 2.16
Gatun	.80 9.88	1.36 48.31	58.08
Total	29.98	51.56	81.58
•	Hospitals.	Quarters.	Total.
Average number of employees constantly sick:	40.00	20, 00	70.91
WhiteBlack	40.33 163.24	29.98 51.56	70.31 214.80
Total	203.57	81.54	285.11
Average number of employees constantly sick, per 1,000:	0.10	0.70	15.90
White. Black.	9.12 7.89	6.78 2.50	10.39
Total	8.10	3.25	11.35

TABLE XVI.—AVERAGE NUMBER OF DAYS IN HOSPITAL OR QUARTERS FOR EACH ADMISSION OF SICK EMPLOYEE.

White.	Black.	Total.
12.37	15.79	14.99
6.88	8.60	7.83
11.24	15.15	14 . 13
		2.30
2.62	3.80	2.74
2.92		2.92
1.67	5.88	3.26
2.84	17.86	10.92
2.59	15.77	6 52
	12.37 6.88 11.24 2.30 2.62 2.92 1.67 2.84	12.37 15.79 6.88 8.60 11.24 15.15 2.30

Table XVII.—NUMBER OF DAYS HOSPITAL TREATMENT FURNISHED VARIOUS CLASSES OF PATIENTS.

Class.	American.	Foreign.	Black.	Total.
Ancon Hospital:				· : -
Panama Canal employees		973	13,08 8	16,122 13,267
Panama government pay patients		3.019	69 6,128	69 12,822
Other pay patients		205	3,023	4,180
Total	19,955	4.197	22,308	46,460
Corozal Hospital (insane): Panama Canal employees	95	184	1,160	1,439
Army and Navy patients Panama government pay patients		5.302	19,721	905 25,299
Other pay patients		424 1,130	266 6,344	690 7,474
Total	1,276	7,040	27,491	35,807
Corozal Farm (injured employees): Panama Canal employees		859	4,137 2,451	4,996 2,451
Colon Hospital: Panama Canal employees.	289 875	107	811	1,207 996
Army and Navy patients Panama government pay patients	8/3	121 35	- 285	320
Other pay patients	814	797 35	1,403	3,014 254
Total		1,095	2.561	5,791
Palo Seco Leper Asylum (lepers): Panama government pay patients. Charity patients.		60	1,290 930	1,350 930
Total		60	2,220	2,280

TABLE XVIII.—WARD LABORATORY REPORTS.

	Ancon Hospital.	Colon Hospital.	Santo Tomas Hospital.
Blood examinations (total number)	2,977	317	441
Crescents Estivoautumnal	9 256	37	119
Quartan	200		
Tertian	79	12	
FilariaDifferential counts	9 61	27	
Hemoglobin estimates	919	5	
Leucocyte counts	255	56	20
Red blood counts Spirocheta obermeyeri	26	2	
Stool examinations (total number)	3.077	31	2.15
Ameba	38		
Ascaris lumbricoides	59 5		331
Entameba	2		
Balantidiun coli	1		
Ciliated monads	27		20
Guaiac tests. Pus and blood.	37 131		• • • • • • • • • • • • • • • • • • • •
Strongyloides	77		51
Tinea saginata	7		
Tricocephalus dispar	205 405	1	137 588
Mucus and pus	400		1
Blood			4
Urine examinations (total number)	6,798 1,495	705 • 115	1,72
AlbumenBile	27	• 110	910
Casts	1,251	79	379
Ciliated monads	20		
Epithelia. Guaiac tests.	897 21		
Hemin crystals	20		
Indican	301		
Pus and blood Sugar	1,905 1,340	7	
Pus.	1,040	188	
Blood		4	
Acetone		7 38	
Sediment		30	13'
Phosphates			24
Urates			
Oxalates. Cylindroids		• • • • • • • • • •	
Sputum examinations (total number)	2,141	39	234
Positive for tubercle bacilli	141	1	68

TABLE XVIII.-WARD LABORATORY REPORTS.-Continued.

	Ancon Hospital.	Colon Hospital.	Santo Tomas Hospital.
Smear examinations (total)	350	2	1,014
Urethral	147		
Vaginal	51		
Eye	1		
Spinal fluid	149		3
Nasal smears	14		
Smear from foot	1		
Positive for gonococci		2	328
Positive for diplococci			1
Positive for influenza			3
Positive for diphtheria			9
Positive for B. coli			1
Positive for leprosy			1
Positive for streptococci			3
Positive for typhosus			5
Positive for pneumococci			1
Surgical tissues			18
Pathological tissues			125
Chemical analysis			5
Wassermann tests			637
Positive	1	.	261
Widal tests			12
Blood cultures			8
Autogenous vaccines		1	2
Throat cultures			18
Positive for B. diphtheria			10
Autopsies performed			118
Total	25,734	1,675	9,387

TABLE XIX.—SURGICAL OPERATIONS PERFORMED.

	And Hosp		Cole Hospi		Santo Tomas Hos- pital.
	Num- ber.	Died.	Num- ber.	Died.	Num- ber.
Amputations:					
Leg	4				2
Digits, multiple	$\hat{2}$		·····i		3
Amputations of thigh					1
Leg, double	1		• • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Craniectomy, decompressive	1		3	1	
Laminectomy	i		1	1	
Wiring of fractures, simple	4				
Wiring of fractures, compound	· · · · · · · · · · · · · · · · · · ·				1
Anthrotomy of knee	1				
Bone transplantation	1				
Lane plate of femur			1	• • • • • • •	
Cervical	3		3		
AxillaryInguinal, single	33		·····i		18
Inguinal, double	5		i		6
Femoral	5				1
Herniotomy: Inguinal, single	65	1	14		22
Inguinal, double	20		6		5
Ventral Strangulated	·····i		1		2 3
Genito-urinary tract:	1				3
Ureterotomy					1
Cystotomy	3		1		······· '
Urethrotomy, internal Urethrotomy, external	7				9
Prostateomy	1				
Varicocele, radical cure	21 39		7		
Hydrocele, double	4				
Orchidectomy. Epididymotomy.	4 7				1
Amputation of scrotum	14				1
Curettage uteri	33		7		16
Perineoplasty	2		5		1
Vaginal sections					1
Vaginal punctures	• • • • • • • • •		• • • • • • • •		22
Obstetrical: Cesarian section, abdominal	2				
Accouchement, forceps	4		1 2		
Low forceps	3		2 2		
Perineorrhaphy	8				
Breech extraction					

TABLE XIX .- SURGICAL OPERATIONS PERFORMED-Continued.

	And Hosp		Co Hos	lon pital.	Santo Tomas Hos- pital.
	Num- ber.	Died.	Num- ber.	Died.	Num- ber.
Thorax: Thoracotomy.	2				
Rectum:	-				
Hemorrhoids, radical cure	24		4	1	30
Fistula in ano, excision of	6		i . i		i
General:					
Thyroidectomy	5				1
Nerve stretching. Varicose veins, excision of.	2 3 2 9				
Varicose veins, excision of	3		3		
Tenorrhaphy	2				1
Excision of surface neoplasms	2		1		
Gunshot wounds of soft parts, operation for Stab wounds of soft parts, operation for	1	1			
Extensive injuries to soft parts, operation for	2	1			
Plastic operations for severe injuries			2		
Plastic operations for effects of disease	1		8	1	
Skin graft	î		ı		10
For general peritonitis (traumatic or appendi-	-		1	1	10
cial	2	1	1	1	
For tuberculous peritonitis			ī	[]	
For intestinal obstruction			+1		1
Excision of lower lip			1		
Laparotomy:					
Exploratory	3	1	1		2
Gastro-enterostomy	4				<u></u>
Appendectomy	31		50		27
Appendectomy with local peritonitis	7		2		
Appendectomy with general peritonitis	1		9	1	
Cholecystotomy	1				3
Abscess of liver, laparo-hepatotomy for	1	1			1
Splenectomy			1		23
Supravaginal hysterectomy.	13	1	21		11
Hysteromyomectomy	1		21		11
Salpingectomy, single.	2		4		9
Salpingectomy, double			10		7
Salpingo-oophorectomy	4		24		. 21
Ovarian cystectomy	1		5		
Oophorectomy					13
Sugnersio-uteri	9 }		20		15
For extopic gestation			1		
Gunshot wound of abdomen			1	1	
Stab wounds of abdomen			1		
Major operations, various other	7				6
Minor operations, various other					120
Arsphenamine, intravenous	1,020				• • • • • • • •
Reduction of numerus	1 3				
Reduction of forearm	1				
Dislocation, elbow					
Dislocation, shoulder					
Nailing of fractured femur	i				
Open reduction of metacarpal	î				
Circumcision	81				43
-					
	1,927	5	269	6	476

TABLE XX.—REPORT OF OPERATIONS, EYE AND EAR DEPARTMENTS. ANCON HOSPITAL.

Upe	erations performed:	
	Adenoidectomy	51
	Cataract extraction.	1
	Chalazion excisions.	11
	Evisceration	2
	Cautery of turbinates	ĩ
	Ethmoid curettement.	
		1
	Removal of foreign body, eye	1
	Removal of foreign body, nose	2
	Incision and drainage, peritonsillar abscess.	5
	Incision and drainage, furnicle ear	4
	Lacrymal sac, removal of	î
	Legymol dust Rowman's dilation of	î
	Martinat duty,	7
	Mastoidectomy. Myiasis of eyelid, removal of.	
		1
	Paracentesis	27
	Maxillary sinus, perforation and drainage of	1
	Removal of nasal polyps	5
	Removal of nasal spur	1
	Pterygium transplantations	18
	Reduction of compound fracture, nose	2
	Submucous resection.	
		23
	Turbinectomy	13
	Tonsillectomy	132
	Uvilectomy	1
	-	
	Total	312
Ref	ractions	414
	•	
	Santo Tomas Hospital.	
	SANTO TOMAS HOSPITAL.	
Ear	SANTO TOMAS HOSPITAL.	
	Santo Tomas Hospital. : Furunculosis of canal	11
	Santo Tomas Hospital. : Furunculosis of canal	42
	Santo Tomas Hospital. : Furunculosis of canal	42
	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic.	42 185
	Santo Tomas Hospital. : Furunculosis of canal. Otitis media, acute. Otitis media, chronic. Foreign bodies.	42 185 7
	Santo Tomas Hospital. : Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies Mastoid operations	42 185 7 2
	Santo Tomas Hospital. : Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum	42 185 7 2 6
Ear	Santo Tomas Hospital. : Furunculosis of canal Otitis media, acute Otitis media, chronic Foreign bodies Mastoid operations Perforation of drum Superative otitis	42 185 7 2
	Santo Tomas Hospital. : Furunculosis of canal Otitis media, acute Otitis media, chronic Foreign bodies Mastoid operations Perforation of drum Superative otitis	42 185 7 2 6 32
Ear	Santo Tomas Hospital. : Furunculosis of canal Obtits media, acute. Obtits media, chronic. Foreign bodies. Mastoid operations. Perforation of drum. Superative otitis.	42 185 7 2 6 32
Ear	Santo Tomas Hospital. : Furunculosis of canal Otitis media, acute Otitis media, chronic Foreign bodies Mastoid operations Perforation of drum Superative otitis Superative all optimizations of Conorrheal Optimizations Perforation of Rum Superative Otitis St.	42 185 7 2 6 32
Ear	Santo Tomas Hospital. : Furunculosis of canal Obtits media, acute. Obtits media, chronic. Foreign bodies. Mastoid operations. Perforation of drum. Superative otitis.	42 185 7 2 6 32
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Remitis. Enucleation.	42 185 7 2 6 32 9 42 2
Ear	Santo Tomas Hospital. : Furunculosis of canal. Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations. Perforation of drum Superative otitis. :: Gonorrheal opthalmia. Renitis. Enucleation. Foreign bodies.	42 185 7 2 6 32 9 42 2 6
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Renitis. Enucleation. Foreign bodies. Conjunctivitis.	42 185 7 2 6 32 9 42 2 6 177
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis. Gonorrheal opthalmia Remitis. Enucleation Foreign bodies. Conjunctivitis.	42 185 7 2 6 32 9 42 2 6 177 11
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis: Gonorrheal opthalmia. Renitis. Enucleation. Foreign bodies. Conjunctivitis. Phystenular conjunctivitis. Phystenular conjunctivitis. Eye examination.	42 185 7 2 6 32 9 42 2 6 177 11 24
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Remitis. Enucleation Foreign bodies. Conjunctivitis. Phlyctenular conjunctivitis Eye examination. Corneal ulcer.	42 185 7 2 6 32 9 42 2 6 177 11 24 53
Ear	Santo Tomas Hospital. Furunculosis of canal. Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis. Gonorrheal opthalmia. Renitis. Enucleation. Foreign bodies. Conjunctivitis. Phytetenular conjunctivitis. Eye examination. Corneal ulcer. Keratitis.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Renitis. Enucleation. Foreign bodies Conjunctivitis Phystenular conjunctivitis Eye examination Corneal ulcer Keratitis.	42 185 7 2 6 32 9 42 2 6 177 11 24 53
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Renitis. Enucleation. Foreign bodies Conjunctivitis Phystenular conjunctivitis Eye examination Corneal ulcer Keratitis.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Poreign bodies. Mastoid operations Perforation of drum Superative otitis. Conorrheal opthalmia Renitis. Enucleation Foreign bodies. Conjunctivitis. Phytetenular conjunctivitis Eye examination. Corneal ulcer. Keratitis. Iritis. Hordeolum.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48 3
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute. Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis: Gonorrheal opthalmia. Renitis. Enucleation Foreign bodies. Conjunctivitis. Phyteenular conjunctivitis. Eye examination. Corneal ulcer. Keratitis. Iritis. Iritis. Hordeclum. Cataract.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48 3 260
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Remitis. Enucleation Foreign bodies. Conjunctivitis. Phlyctenular conjunctivitis Eye examination. Corneal ulcer Keratitis. Ititis. Hordeolum. Cataract. Calazion.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48 3 260 4
Ear	Furunculosis of canal Otitis media, acute Otitis media, chronic Foreign bodies Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Renitis Foreign bodies Conjunctivitis Phystenular conjunctivitis Eye examination Corneal ulcer Keratitis Iritis Iritis Iritis Iritis Indeedum Cataract Chalazion Chalazion Blepharitis	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48 3 260
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Remitis. Enucleation. Foreign bodies. Conjunctivitis. Phlyctenular conjunctivitis Eye examination. Corneal ulcer Keratitis Iritis Hordeolum. Cataract. Cahalazion. Blepharitis. Foreign bodies. Consuperative of the second of	42 185 7 2 6 32 9 42 2 6 6 177 11 24 53 62 48 3 260 4 12
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute Otitis media, chronic. Poreign bodies. Mastoid operations Perforation of drum Superative otitis: Signature of the superative of the superative of the superative otitis. Conjunctivitis. Phlyctenular conjunctivitis. Eye examination. Corneal ulcer. Keratitis. Iritis. Iritis. Hordeolum. Cataract. Chalazion. Blepharitis. Frations: Iridectomy.	42 185 7 2 6 32 9 42 2 6 177 11 24 53 62 48 3 260 41 12
Ear	Santo Tomas Hospital. Furunculosis of canal Otitis media, acute Otitis media, chronic. Foreign bodies. Mastoid operations Perforation of drum Superative otitis Gonorrheal opthalmia Remitis. Enucleation. Foreign bodies. Conjunctivitis. Phlyctenular conjunctivitis Eye examination. Corneal ulcer Keratitis Iritis Hordeolum. Cataract. Cahalazion. Blepharitis. Foreign bodies. Consuperative of the second of	42 185 7 2 6 32 9 42 2 6 6 177 11 24 53 62 48 3 260 4 12

Nose and throat:	
Laryngitis	3
Tonsillitis	62
Tonsillectomy.	23
Pharyngitis.	20
Adenoidectomy	2
Submucous resection of septum	1
Turbinectomy	. 1
Rhinitis	28
Hypertrophy of turbinates	46
Foreign bodies.	. 4
Peritonsillar abscess.	. 9
Suturing of soft palates.	1
TABLE XXI.—REPORT OF X-RAY DEPARTMENT, ANCON HOSPITAL.	
Nature of examinations:	
Arm and forearm.	. 54
Chest	100
Dental	
Elbow	
Foot and ankle.	
Foreign body	
Gall bladder	
Hand	
Head	
Hip.	
Jaw	
Kidnevs	
Knee	
Legs	
Liver	:
Ribs.	• -
Shoulder	
Sinews	. ==
Spine.	
Spleen	
Stomach	
Thigh.	
Treatments.	
Wrist	
Total	674
CLASSIFICATION OF PLATES USED.	
6½ by 8½	290
8 by 10	566
10 by 12	382
14 by 17	• 374
X-ray films, 8 by 10.	56
Dental films	225
m. a. 1	. 000
Total	1,893

TABLE XXII.—SANTO TOMAS HOSPITAL.

PATIENTS TREATED.

Class.	Remain- ing Oct. 1.	Admit- ted.	Died.	Dis- charged.	Remain- ing Dec. 31.
Pay cases. Charity cases.	22 504	236 2,086	6 211	223 1,906	29 473
Total	526	2,322	217	2,129	502
	Number	Amer	ican.	Other n	ations.
Class.	treated.	White.	Black.	White.	Black.
Pay cases Charity cases	305 3,473	2 12		94 258	209 3,203
Total	3,778	14		352	3,412
Average number of patients constan Average number of days treatment Cost of subsistence per patient, per	day Dispensar				\$0.42
Class.			White.	Black.	Total.
Natives treated			45 88	4,759 1,362	4,804 1,450
Foreigners treated. Total. General diseases: Malaria. Smallpox Measles. Diphtheria and croup. Influenza. Dysentery. Leprosy Erysjuelas.	DISEASES	FREATED.	88 133	1,362 6,121	1,450 6,254
General diseases: Malaria. Smallpox Measles. Diphtheria and croup. Influenza Dysentery. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicen Tuberculosis of the lungs. Pott's disease. Tuberculosis of other organs. Syphilis. Soft chancre. Gonococcus infection. Cancer and other malignant tuc Cancer and other malignant tuc	DISEASES Of the mors of the more of the mors of the more of the mo	TREATED. buccal cavi female geni	88 133	1,362	1,450 6,254

DISEASES TREATED .- Continued.

	Mer	vous diseases:	
		Locomotor ataxia. Other diseases of the spinal cord.	1
		Other diseases of the spinal cord.	2
		Other forms of mental alienation.	.15
		Epilepsy. Convulsions of infants.	ò
		Convulsions of infants	1
	1.0	Hysteria	3
		Neuralgia and neuritis	8
		Other diseases of the nervous system. Other diseases of the eyes and their annexa.	5
		Other diseases of the eyes and their annexa	40
		Diseases of the ears	4
	Circ	ulatory	
٠	One	Organic diseases of the heart	11
		Diseases of the arteries.	11
		Diseases of the arteries.	0.0
		Diseases of the veins	29
		Diseases of the lymphatic system.	23
		Other diseases of the circulatory system	3
	Resp	iratory:	
		Chronic bronchitis.	23
		Broncho-pneumonia.	- 1
		Pneumonia	10
		Pleurisy	0
		Asthma	9
	Die	estive:	
	Digi		
		Diseases of the teeth and gums	
		Diseases of the pharynx	34
		Ulcer of the stomach	- 2
		Other diseases of the stomach	2
		Diarrhea and enteritis Diarrhea and enteritis2 years and over	- 3
		Diarrhea and enteritis2 years and over	18
		Ankylostomiasis	129
		Intestinal parasites. Appendicitis and typhlitis.	22
		Appendicitis and typhlitis	2
		Hernias, intestinal obstructions	3
		Diseases of the anus and fecal fistula.	
		Other diseases of the intestines.	10
		Cirrhosis of the liver.	11
		Citriosis of the liver.	1
	2.7	Other diseases of the liver	1
	Nor	venereal:	
		Acute nephritis	-
		Bright's disease Other diseases of the kidneys and annexa.	33
		Other diseases of the kidneys and annexa	
		Diseases of the bladder	4
		Diseases of the urethra. Nonvenereal diseases of the male genital organs.	14
		Nonvenereal diseases of the male genital organs	2:
		Uterine hemorrhage.	
		Uterine tumor.	- 1
		Metritis.	
		Metrius.	3
		Other diseases of the uterus	6.
		Cysts and tumors of the ovary. Salpingitis and other diseases of the female genital organs.	-
		Salpingitis and other diseases of the female genital organs	3
		Nonvenereal diseases of the breast.	
	Pue	rperal state:	
		Normal labor	26
		Accidents of pregnancy	4
		Puerperal hemorrhage.	
	Ski	etc:	
	UNI	Gangrene	
		Furuncle	2
	:	Acute abscess	2
		Trichophytosis	
		Scabies	
		Scabies. Other diseases of the skin and annexa.	10
	Bor	es:	
	:	Diseases of the bones	
		Diseases of the joints.	1
	4	Amputations	
	200	Diseases of the joints. Amputations. Congenital malformation.	1

DISEASES TREATED—Continued

Early infancy:		
Nursling discharge from hospital without disease		. 250
Lack of care.		
Affections, external causes:		•
Sensibility		. 5
Venomous bites and stings		. 2
Other acute poisonings		. 5
Burns		. 5
Traumatism by cutting or piercing instruments		. 2 . 5 . 5
Excessive cold		. 2
Dislocations		
Fractures		9
Other external violence		. 21
Ill-defined:		
Diseases not specified or ill-defined		. 8
No disease		. 23
		0.100
		2,129
Donthe petients		917
Deaths, patients. A. Remaining for next month.		1 429
recinalizing for next months		. 1, 102
Total		. 3,778
TABLE XXIIICOROZAL HOSPITAL-STATEMENT OF CO	OMMITMENT	s DIS.

TABLE XXIII.—COROZAL HOSPITAL—STATEMENT OF COMMITMENTS, DIS-CHARGES, AND DEATHS.

COMMITMENTS.

	Male.	Female.
From Canal Zone: First admission. Second admission	23 2	6
Seventh admission From Panama Government: First admission Third admission.	1 17 1	10
Totals	44	17

DISCHARGES.

,	Well.		Improved.		Unimproved.	
	Male.	Female.	Male.	Female.	Male.	Female.
Antigua				1		
Barbados				1		
ak:			21			
Colombia	1		3		1	
England			r 1			
Italy			1			
Jamaica			1	. 2		
apan	1					
Martinique		1	1	1		
anama			1			
eru		1			1	
Porto Rico	<i></i>		12			
United States	* 2		· 7		12	
Totals	4		18	5	4	

Deported to United States; 2 deported to China.

DEATHS.

Medical diagnosis.	Mental diagnosis	Male.	Female.
Pulmonary tuberculosis Tuberculosis of the lungs	Dementia precox	1	
General paresis			
Tuberculosis of the lungs	Cerebral syphilis	2	
Broncho pneumonia	Dementia precox		
Nephritis—Military tuberculosis Tuberculosis—peritonitis	Imbecility Psyshosis associated with epilepsy Taying psyshosis—polleges	1	
Syphilis—arteriosclerosis	Toxic psychosis—pellagra		
Paresis	Tertiary syphilis. Dementia precox.		
Cerebral syphilis	Cerebral syphilis	. 1	
Chronic interstitial nephritis	Psychosis associated with arteriosclerosis.	1	
Epilepsy	Imbecility, with epilepsy		
Total		10	

TABLE XXIV.—CONTAGIOUS AND INFECTIOUS DISEASES REPORTED.

	Pana- ma.	Colon.	Canal Zone.	Non- resident.	Total.
Beriberi					2
Chickenpox	15	4	8		27
Diphtheria	. 10	3	5		18
Dysentery	12		2		14
Gonococcus infection	68	1	126	3	198
Hookworm disease	1				1
Influenza	353	2	175		530
Leprosy	3		1		4
Malaria		34	367	156	579
Measles	1	3	3		7
Meningitis		2	4		10
Mumps			4		6
Pneumonia		7	28	6	63
Relapsing fever		i			1
Smallpox		i	4		. 96
Syphilis.	80	1	67		147
Tuberculosis	107	25	7		139
Typkoid fever		1	4		100
Whooping cough	7	7	0		23
w nooping cough	1	'	9		20

TABLE XXV.—REPORT OF ROUTINE SANITARY WORK PERFORMED IN THE CANAL ZONE AND THE CITIES OF PANAMA AND COLON.

		, , , , ,	
	Canal Zone.	Fanama.	Colon.
Linear yards of new ditches constructed	205,920 933 14,045	784,293 175	14,950 27 261,089
Cubic yards of garbage removed. Square yards of streets cleaned. Square yards of alleys cleaned. Pit closets inspected during quarter.	721		1,963,170
Closets disinfected during quarter Number of water containers treated. Number of mosquito breeding places destroyed Mosquitoes destroyed in dwellings:	31 80	15,961 886	259,612 359
Anopheles Stegomyia Culex	28 18,772	569	4.772
Number of fly-breeding places destroyed. Number of rats destroyed. Private properties cleaned. Number of notices served to abate nuisances.		2,284 345	148 1,574 3,411 2,662
Convictions for violation of sanitary code. Houses disinfected or fumigated. Square yar ds of pools oiled Buildings inspected Buildings, construction and repair:	214 1,310	178 116 37,655 23,392	511,653 30,418
Plans for new buildings approved. Permits issued to repair old buildings. Buildings condemned. Food inspection:			152 6
Dairies, milk venders, etc Bakeries, ice cream parlors, etc Bottling works, saloons, etc Hotels, clubs, restaurants. Markets, fruit stands, miscellaneous.	39	238 149 44 451	21 306 299 713 2,614
Material used during quarter: Crude oil	10,765 578	5,186 608 463	
Hide and skin disinfections and cattle and swine inspections: Number of hides disinfected. Number of skins disinfected. Cattle and hogs inspected for Zone quarantine:		7,418 6,300	
Cattle (private owners) Hogs (private owners)		1,889 597	

Includes Cristobal and Mount Hope, Canal Zone.

Table XXVI.—CONSOLIDATED REPORT OF QUARANTINE TRANSACTIONS AT THE PORTS OF BALBOA-PANAMA AND COLON-CRISTOBAL FOR THE THREE MONTHS' PERIOD ENDING DECEMBER 31, 1918.

Vessels inspected and passed Vessels held in quarantine. Vessels inspected and transiting Canal in quarantine. Vessels passed on medical officer's certificate.	23 32
Total vessels entered	747
Supplemental inspections of detained vessels. Supplemental inspections of vessels at docks. Vessels furnigated on arrival. Vessels furnigated prior to departure. Bills of health issued. Bills of health viséed. Crew inspected on arrival. Passengers inspected on arrival.	12 275 47 5 374 487 33,788 10,162
Total persons inspected on arrival	43,950
Crew passed on medical officer's certificate. Supplemental inspection of passengers and crew. Persons vaccinated in port on arrival. Persons vaccinated in port of departure or en route.	10,202 3,444 620 1,874
Total persons vaccinated	2,494
Persons detained at quarantine stations to complete period of incubation of yellow fever and bubonic plague	568 3,784
Total persons detained in quarantine	4,352
Passengers arriving: First class: Other than first class.	1,641 1,302
Total arriving	2,943
Passengers arriving in small launches and sailing craft (from coast towns). Passengers in transit passing through the Canal. Passengers in transit for Pacific ports not passing through Canal on arriving vessels. Passengers in transit for Atlantic ports. Number of immigrants rejected and deported.	6,962 454 642 182
Bocas del Toro.	. ·
Vessels inspected and passed. Crew inspected and passed. Passengers inspected and passed. Passengers, transit, inspected and passed. Persons vaccinated on coastwise vessels.	77 1,407 605 439 19



